

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Starlike PRO (comp A)**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use for consumption and by professional operators.

· **Application of the substance / the mixture** Two-component epoxy mortar

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Litokol Lab S.p.A.

Via G.Falcone, 13/1

42048 Rubiera (RE) - Italia

Tel. +39 0522 626391 - Fax. +39 0522 620150

· **Further information obtainable from:** Litokol Lab S.p.A. - Email: productsafety@litokol.com

· **1.4 Emergency telephone number:**

ITALY - POISONS CENTRES (24h / 365d):

• Milano - Azienda Ospedaliera Niguarda Ca' Granda - Tel. +39 02 66101029

• Pavia - Centro Nazionale d'Informazione Tossicologica - IRCCS Fondazione Salvatore Maugeri Clinica del Lavoro e della riabilitazione - Tel. +39 0382 24444

• Firenze - Azienda Ospedaliera Universitaria "Careggi" U.O. Tossicologia Medica - Tel. +39 055 7947819

• Bergamo - Azienda Ospedaliera "Papa Giovanni XXIII", tossicologia clinica - Tel. +39 800 883300

• Roma - CAV Policlinico "Umberto I", PRGM tossicologia d'urgenza - Tel. +39 06 49978000

• Roma - CAV del Policlinico "Agostino Gemelli", Servizio di tossicologia clinica - Tel. +39 06 3054343

• Roma - CAV "Ospedale Pediatrico Bambino Gesù", dipartimento emergenza e accettazione DEA - Tel. +39 06 68593726

• Foggia - Azienda Ospedaliera Universitaria riuniti, Foggia - Tel. +39 800 183459

• Napoli - Azienda Ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione - Tel. +39 081 5453333

• Verona - CAV dell'Azienda ospedaliera integrata (AOUI) di Verona sede di Borgo Trento - Tel. +39 800 011858

Litokol Lab S.p.A.

Technical support: Tel. +39 0522 622852 (Monday - Friday: 8.30-12.30 AM , 2.00-6.00 PM)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labelling:**

bis[4-(2,3-epoxypropoxy)phenyl]propane

Dipropylene glycol diglycidyl ether

formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

1,2,3-Propanetriol, glycidyl ethers

Polyethylene glycol, ether with 4-hydroxy-2,2,6,6-tetramethyl-1-piperidineethanol (2:1)

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

EU

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: **Starlike PRO (comp A)**

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment**

- PBT:** The mixture does not contain substances that pose such a hazard at concentrations >0.1%.
- vPvB:** The mixture does not contain substances that pose such a hazard at concentrations >0.1%.

Determination of endocrine-disrupting properties

The mixture does not contain substances that pose such a hazard at concentrations >0.1%.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-XXXX	bis[4-(2,3-epoxypropoxy)phenyl]propane ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	≥5-≤15%
CAS: 41638-13-5 EC number: 609-948-5 Reg.nr.: POLYMER	Dipropylene glycol diglycidyl ether ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335; Aquatic Chronic 3, H412	≥2.5-<10%
CAS: 9003-36-5 EC number: 701-263-0 Reg.nr.: 01-2119454392-40-XXXX	formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1A, H317	≥2.5-≤5%
CAS: 3101-60-8 EINECS: 221-453-2 Reg.nr.: 01-2119959496-20-XXXX	p-tert-butylphenyl 1-(2,3-epoxy)propyl ether ⚠ Aquatic Chronic 2, H411; ⚠ Skin Sens. 1, H317	≥2.5-≤5%
CAS: 90529-77-4 EINECS: 292-011-4	1,2,3-Propanetriol, glycidyl ethers ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	≥1-≤2.5%
CAS: 59535-09-0 EC number: 611-848-1	Polyethylene glycol, ether with 4-hydroxy-2,2,6,6-tetramethyl-1-piperidineethanol (2:1) ⚠ Skin Sens. 1, H317	≥1-≤2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

EU

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: **Starlike PRO (comp A)**

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
 - **Suitable extinguishing agents:**
Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
 - **Protective equipment:** Do not inhale explosion gases or combustion gases.
 - **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
- **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
 - **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required
 - **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
Store in dry conditions.
Protect from frost.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

· Ingredients with limit values that require monitoring at the workplace:
CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane
MAK (Germany) vgl. Abschn. IIb
CAS: 3101-60-8 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether
MAK (Germany) als Dampf und Aerosol, vgl. Abschn. IV
· Regulatory information MAK (Germany): MAK- und BAT-Liste

(Contd. on page 4)

EU

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: **Starlike PRO (comp A)**

(Contd. of page 3)

· DNELs**CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane**

Oral	DNEL / Long term exposure - Systemic effects	0.5 mg/Kg bw/d (general population)
Dermal	DNEL / Long term exposure - Systemic effects	0.0893 mg/Kg bw/d (general population)
		0.75 mg/Kg bw/d (workers)
Inhalative	DNEL / Long term exposure - Systemic effects	0.87 mg/m ³ (general population)
		4.93 mg/m ³ (workers)

CAS: 9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral	DNEL / Long term exposure - Systemic effects	6.25 mg/Kg bw/d (general population)
Dermal	DNEL / Long term exposure - Systemic effects	62.5 mg/Kg bw/d (general population)
		104.15 mg/Kg bw/d (workers)
Inhalative	DNEL / Long term exposure - Systemic effects	8.7 mg/m ³ (general population)
		29.39 mg/m ³ (workers)

CAS: 3101-60-8 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

Dermal	DNEL / Long term exposure - Systemic effects	0.5 mg/Kg bw/d (general population)	
		repeated dose toxicity	
		1 mg/Kg bw/d (workers)	
		repeated dose toxicity	
		0.00095 mg/Kg (general population)	
		sensitisation (skin)	
	DNEL / Long term exposure - Local effects	0.0016 mg/Kg (workers)	
		sensitisation (skin)	
		DNEL / Short term exposure - Systemic effects	0.5 mg/Kg (general population)
			repeated dose toxicity
			1 mg/Kg (workers)
		DNEL / Short term exposure - Local effects	repeated dose toxicity
0.00095 mg/Kg (general population)			
sensitisation (skin)			
Inhalative	DNEL / Long term exposure - Systemic effects	0.0016 mg/Kg (workers)	
		sensitisation (skin)	
		1.75 mg/m ³ (general population)	
		repeated dose toxicity	
		3.5 mg/m ³ (workers)	
		repeated dose toxicity	
	DNEL / Long term exposure - Local effects	1.75 mg/m ³ (general population)	
		repeated dose toxicity	
		3.5 mg/m ³ (workers)	
		repeated dose toxicity	
		DNEL / Short term exposure - Systemic effects	0.5 mg/m ³ (general population)
			repeated dose toxicity
3.5 mg/m ³ (workers)			
DNEL / Short term exposure - Local effects	repeated dose toxicity		
	3.5 mg/m ³ (workers)		
	repeated dose toxicity		

· PNECs**CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane**

PNEC / water	0.006 mg/l (freshwater)
	0.018 mg/l (Intermittent releases (freshwater))
	0.0018 mg/l (Intermittent releases (marine water))
	0.0006 mg/l (marine water)
PNEC / sediment	0.341 mg/Kg dw (freshwater)
	0.0341 mg/Kg dw (marine water)
PNEC / soil	0.0647 mg/Kg dw
PNEC / STP	10 mg/l (sewage treatment plant)

CAS: 9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

PNEC / water	0.003 mg/l (freshwater)
	0.0254 mg/l (intermittent releases)

(Contd. on page 5)

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: Starlike PRO (comp A)

(Contd. of page 4)

PNEC / sediment	0.0003 mg/l (marine water) 0.294 mg/Kg dw (freshwater)
PNEC / soil	0.0294 mg/Kg dw (marine water) 0.237 mg/Kg dw
PNEC / STP	10 mg/l (sewage treatment plant)
CAS: 3101-60-8 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether	
PNEC / water	0.0075 mg/l (freshwater) 0.075 mg/l (Intermittent releases (freshwater)) 0.00075 mg/l (marine water)
PNEC / sediment	33.54 mg/Kg dw (freshwater) 3.354 mg/Kg dw (marine water)
PNEC / soil	11.4 mg/Kg dw
PNEC / STP	100 mg/l (sewage treatment plant)

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Appropriate engineering controls** Ensure good ventilation in the workplace.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Keep away from tobacco products.

Avoid close or long term contact with the skin.

Ensure that washing facilities are available at the work place.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· **Respiratory protection:**



Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

(Contd. on page 6)

EU

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: **Starlike PRO (comp A)**

(Contd. of page 5)

· **Body protection:** Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Liquid
· Colour:	Different according to colouring
· Odour:	Odourless
· Odour threshold:	Not determined
· Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling range	>200 °C
· Flammability	Non-flammable mixture
· Lower and upper explosion limit	
· Lower:	Not applicable
	Non-flammable mixture
· Upper:	Not applicable
	Non-flammable mixture
· Flash point:	Not applicable
	No flash point up to 100 °C
· Auto-ignition temperature:	Not determined
	Non-flammable mixture
· Decomposition temperature:	Not applicable
	Mixture is not self-reactive, does not contain organic peroxide and does not decompose under foreseen conditions of use
· pH	Not applicable
	Mixture is non-soluble (in water).
· Viscosity:	
· Kinematic viscosity	Reopexic behavior
· Solubility	
· water:	Insoluble.
· Partition coefficient n-octanol/water (log value)	Not applicable
· Vapour pressure:	Not determined
· Density and/or relative density	
· Density at 20 °C:	1.6-1.7 g/cm ³
· Relative gas density	Heavier than air

· 9.2 Other information

· Appearance:	
· Form:	Pasty
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0 %
· Change in condition	
· Evaporation rate	Not determined

· **Information with regard to physical hazard classes** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
 - **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids and oxidising agents.
- **10.4 Conditions to avoid** To avoid thermal decomposition do not overheat.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 7)

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: **Starlike PRO (comp A)**

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

Oral LD50 >15,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

CAS: 9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral LD50 >5,000 mg/kg (rat) (OECD TG 401: Acute Oral Toxicity)

Dermal LD50 >2,000 mg/kg (rat) (OECD TG 402: Acute Dermal Toxicity)

CAS: 3101-60-8 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

Oral LD50 >2,000 mg/kg (rat) (OECD TG 425: Acute Oral Toxicity: Up-and-Down Procedure)

Dermal LD50 >2,000 mg/kg (rat) (OECD TG 402: Acute Dermal Toxicity)

· **Primary irritant effect:**

· **Skin corrosion/irritation**

Causes skin irritation.

· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· **Aquatic toxicity:**

CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

EC50 / 48h 1.8 mg/l (crustacea - *Daphnia magna*)

LC50 / 96h 2 mg/l (fish - *Oncorhynchus mykiss*)

ErC50 / 72h 11 mg/l (algae - *Scenedesmus capricornutum*)

NOEC / 72h 4.2 mg/l (algae - *Scenedesmus capricornutum*)

NOEC / 21d 0.3 mg/l (crustacea - *Daphnia magna*) (OECD TG 211: *Daphnia magna* Reproduction Test)

CAS: 41638-13-5 Dipropylene glycol diglycidyl ether

EC50 / 48h 90 mg/l (crustacea - *Daphnia magna*)

LC50 / 96h 67 mg/l (fish)

CAS: 9003-36-5 formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

EC50 / 48h 2.55 mg/l (crustacea - *Daphnia magna*)

LC50 / 96h 2.54 mg/l (fish - *Leuciscus idus melanotus*)

EC50 / 72h 1.8 mg/l (algae - *Selenastrum capricornutum*) (OECD TG 201: Alga, Growth Inhibition Test)

CAS: 3101-60-8 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

EC50 / 48h 67.9 mg/l (crustacea - *Daphnia magna*) (OECD TG 202: *Daphnia* sp. Acute Immobilisation Test)

LC50 / 96h 7.5 mg/l (fish - *Oncorhynchus mykiss*) (OECD TG 203: Fish, Acute Toxicity Test)

EC50 / 72h 9 mg/l (algae - *Pseudokirchneriella subcapitata*) (OECD TG 201: Alga, Growth Inhibition Test)

12.2 Persistence and degradability

CAS: 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

Ready Biodegradability / 28d 6-12 % (OECD TG 301 B: CO₂ Evolution Test)

CAS: 3101-60-8 p-tert-butylphenyl 1-(2,3-epoxy)propyl ether

Ready Biodegradability / 28d 1.1 % (OECD TG 301 D: Closed Bottle)

(Contd. on page 8)

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: **Starlike PRO (comp A)**

(Contd. of page 7)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable
 - **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
 - **Remark:** Harmful to fish
 - **Additional ecological information:**
 - **General notes:**
 - Harmful to aquatic organisms
 - Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
 - Do not allow product to reach ground water, water course or sewage system.
 - Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
 - **Recommendation**
 - Disposal must be made according to official regulations.
 - Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
 - **Recommendation:**
 - Disposal must be made according to official regulations.
 - Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name	
· ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - Regulation (EC) No 1907/2006 (REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals)
 - Regulation (EC) No 1272/2008 (CLP - Classification, Labelling and Packaging of substances and mixtures)
 - Compilation of Safety Data Sheet: Reg.UE n. 878/2020 (amending Reg.EC n.1907/2006, Annex II)

- **REACH**

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 40, 75

- **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

- **REGULATION (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

(Contd. on page 9)

**Safety data sheet (English translation without any country-specific legislation)
according to Regulation (EC) No 1907/2006, Article 31**

Printing date 16.02.2026

Rev. 4 (replaces version 3)

Revision: 16.02.2026

Trade name: Starlike PRO (comp A)

(Contd. of page 8)

· **REGULATION (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· **Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - long-term (chronic)
aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· **Contact:** Litokol Lab S.p.A.

· **Version number of previous version:** 3

· **Abbreviations and acronyms:**

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Classification, Labelling and Packaging

TLV: Threshold Limit Value

TLV-TWA: Threshold Limit Value - Time Weighted Average

TLV-STEL: Threshold Limit Value - Short Term Exposure Limit

PEL: Permissible Exposure Limits (Limiti di esposizione consentiti)

REL: Recommended Exposure Limits (Limiti di esposizione raccomandati)

IOELV: Indicative Occupational Exposure Limit Value

WEELS: Workplace Environmental Exposure Limits (Limiti di esposizione ambientale sul posto di lavoro)

BEI: Biological Exposure Indices

LC50: Lethal Concentration, 50 percent

EC50: Effective Concentration, 50 percent

ERC50: Effective Concentration, 50 percent, reduction of growth rate

NOEC: No-Observed Effect Concentration

NOELR: No-Observed Effect Loading Rate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**